Nuova Ricambi srl Dated 09/12/2022 Printed on 19/12/2022 **CLEAN EXPRESS PASTIGLIE** Page n. 1/16 Replaced revision:3 (Printed on: 24/07/2015)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

CLEAN EXPRESS PASTIGLIE

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Detergent tablet for cleaning coffee machines.

1.3. Details of the supplier of the safety data sheet

Name Nuova Ricambi srl Via dei Mille, 20 Full address District and Country 20061 Carugate (MI) Italia

tel. 02 9253205

e-mail address of the competent person

responsible for the Safety Data Sheet info@nuovaricambi.net

1.4. Emergency telephone number

For urgent inquiries refer to

Roma

Osp. Pediatrico Bambino Gesù" DEA tel 06 68593726

Az. Osp. Univ. Foggia Az. Osp. "A. Cardarelli" tel 800183459 Foggia Napoli tel 081-5453333 Roma CAV Policlinico "Umberto I"

tel 06-49978000 CAV Policlinico "A. Gemelli" tel 06-3054343 Roma Firenze Az. Osp. "Careggi" U.O. Toss. Medica tel 055-7947819 Pavia CAV C.Naz. Inf. Tossicologica tel 0382-24444 Milano Osp. Niguarda Ca' Granda tel 02-66101029 tel 800883300 Bergamo Az. Osp. Papa Giovanni XXII

Verona Az. Ospedaliera Integrata Verona tel 800011858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

CLEAN EXPRESS PASTIGLIE

Revision nr. 4

Dated 09/12/2022

Printed on 19/12/2022

Page n. 2/16

Replaced revision:3 (Printed on: 24/07/2015)

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

SODIUM CARBONATE

INDEX - $20 \le x < 40$ Eye Irrit. 2 H319

EC 207-838-8 CAS 497-19-8

REACH Reg. 01-2119485498-19

SODIUM PERCARBONATE

INDEX 20 ≤ x < 25 Ox. Liq. 3 H272, Acute Tox. 4 H302, Eye Dam. 1 H318

EC - Eye Dam. 1 H318: ≥ 25%, Eye Irrit. 2 H319: ≥ 10%

CAS 15630-89-4 LD50 Oral: >1034 mg/kg

REACH Reg. 01-2119457268-30-

XXXX

SODIUM TRIPHOSPHATE

PENTABASIC

INDEX - $5 \le x < 10$ Substance with a community workplace exposure limit.

CLEAN EXPRESS PASTIGLIE

Revision nr. 4

Dated 09/12/2022

Printed on 19/12/2022

Page n. 3/16

Replaced revision:3 (Printed on: 24/07/2015)

EC 231-838-7 CAS 7758-29-4

REACH Reg. 01-2119430450-54 **Ethoxylated C16-18 alcohol**

INDEX $0 \le x < 5$ Eye Irrit. 2 H319

EC -

CAS 68439-49-6 REACH Reg. Polimero

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

SODIUM PERCARBONATE

Sodium percarbonate: contact with flammable substances is dangerous; decomposition with development of O2.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Nuova Ricambi srl CLEAN EXPRESS PASTIGLIE Printed on 19/12/2022 Page n. 4/16 Replaced revision:3 (Printed on: 24/07/2015)

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SODIUM PERCARBONATE

Sodium percarbonate: the product is an oxidiser: easily releasing O2 it fuels fires; protect from heat and humidity.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

SODIUM PERCARBONATE

Sodium percarbonate: avoid hermetically closing the container.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

ATTENTION: do not transfer into containers other than the original: risk of fatal errors when exchanged with food.

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Keep away from sources of heat, light and humidity.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

CLEAN EXPRESS PASTIGLIE

Revision nr. 4

Dated 09/12/2022

Printed on 19/12/2022

Page n. 5/16

Replaced revision:3 (Printed on: 24/07/2015)

8.1. Control parameters

Regulatory References:

EU OEL EU

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

SODIUM CARBONATE								
Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic

				systemic		systemic		systemic
nhalation							10 mg/mc	VND
SODIUM PERCARBO	NATE							
Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15min		Remarks Observa		
		mg/m3	ppm	mg/m3	ppm			
OEL	EU	5						
Predicted no-effect conce	ntration - PNEC							
				0,035	mg	ı/kg		
Normal value for fresh wa	ter sediment			0,035	mg mg			
Normal value for fresh wa Normal value for water, in	ter sediment termittent release					ŋ/I		
Normal value for fresh wa Normal value for water, in Normal value of STP micr	ter sediment termittent release oorganisms	DMEL		0,035	mg	ŋ/I		
Normal value for fresh wa Normal value for water, in Normal value of STP micr	ter sediment termittent release oorganisms	DMEL		0,035	mg	ŋ/I		
Normal value for fresh wa Normal value for water, in Normal value of STP micr Health - Derived no-e	ter sediment termittent release oorganisms ffect level - DNEL / I Effects on	DMEL Acute systemic	Chronic local	0,035	mg mg	ŋ/I	Chronic local	Chronic systemic
Predicted no-effect conce Normal value for fresh wa Normal value for water, in Normal value of STP micr Health - Derived no-e Route of exposure Inhalation	ter sediment termittent release oorganisms ffect level - DNEL / I Effects on consumers		Chronic local	0,035 16,24 Chronic	mg mg Effects on workers	y/l Acute	Chronic local 5 mg/m3	Chronic systemic

Skin					12,8 mg/cm2			
SODIUM TRIPHOSPHA								
Threshold Limit Value Type	Country	TWA/8h		STEL/15min		Remarks /		
		mg/m3	ppm	mg/m3	ppm			
OEL	EU	10				RESP		
Predicted no-effect concen	tration - PNEC							
Normal value in fresh water	r			0,005	mg	g/l		
Normal value in marine wa	ter			0,005	mg	g/l		
Normal value for fresh water	er sediment			0,19	mg	J/kg		
Normal value for water, into	ermittent release			0,05	mg	g/l		
Normal value for the terres	trial compartment			0,14	mg	ı/kg		
Health - Derived no-ef	fect level - DNEL / I Effects on consumers	OMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation						0,661 mg/m3		0,661 mg/m3
Skin						0,375 mg/kg/d		0,375 mg/kg/d

Nuova Ricambi srl CLEAN EXPRESS PASTIGLIE Revision nr. 4 Dated 09/12/2022 Printed on 19/12/2022 Page n. 6/16 Replaced revision:3 (Printed on: 24/07/2015)

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value pastiglie	Information
Colour	white	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH Kinematic viscosity	11,04 not available	Concentration: 1 %
Solubility	soluble in water	

CLEAN EXPRESS PASTIGLIE

Revision nr. 4

Dated 09/12/2022
Printed on 19/12/2022

Page n. 7/16

Replaced revision:3 (Printed on: 24/07/2015)

Partition coefficient: n-octanol/water not available Vapour pressure N.A. mmHg

Density and/or relative density 1,74

Relative vapour density not available Particle characteristics not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

SODIUM PERCARBONATE

Sodium percarbonate: exposure to heat and humidity.

Ethoxylated C16-18 alcohol

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Ethoxylated C16-18 alcohol

Strong oxidizing agents, strong acid bases, strong alkalis.

Revision nr. 4 Nuova Ricambi srl Dated 09/12/2022 Printed on 19/12/2022 **CLEAN EXPRESS PASTIGLIE** Page n. 8/16 Replaced revision:3 (Printed on: 24/07/2015)

10.6. Hazardous decomposition products

SODIUM PERCARBONATE

Sodium percarbonate: development of oxygen which feeds a fire.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological

effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information
Information not available
Information on likely routes of exposure
Information not available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Information not available
Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

>2000 mg/kg

Not classified (no significant component)

SODIUM CARBONATE

Nuova Ricambi srl Revision nr. 4 Dated 09/12/2022 Printed on 19/12/2022 Page n. 9/16

Replaced revision:3 (Printed on: 24/07/2015)

 LD50 (Dermal):
 117 mg/kg Mouse

 LD50 (Oral):
 4090 mg/kg Rat

 LC50 (Inhalation mists/powders):
 2,3 mg/l/2h Rat

SODIUM PERCARBONATE

LD50 (Oral): > 1034 mg/kg ratto

SODIUM TRIPHOSPHATE PENTABASIC

 $\begin{array}{lll} \text{LD50 (Dermal):} & > 4640 \text{ mg/kg Coniglio} \\ \text{LD50 (Oral):} & > 2000 \text{ mg/kg Ratto} \\ \text{LC50 (Inhalation mists/powders):} & > 0,39 \text{ mg/l/4h Ratto} \\ \end{array}$

Ethoxylated C16-18 alcohol

LD50 (Oral): > 5000 mg/kg ratto

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Nuova Ricambi srl CLEAN EXPRESS PASTIGLIE Printed on 19/12/2022 Page n. 10/16 Replaced revision:3 (Printed on: 24/07/2015)

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Ethoxylated C16-18 alcohol

LC50 - for Fish > 1 mg/l/96h Leuciscus Idus

SODIUM TRIPHOSPHATE PENTABASIC

LC50 - for Fish 1850 mg/l/96h

EC50 - for Crustacea > 100 mg/l/48h Daphnia M.

SODIUM PERCARBONATE

LC50 - for Fish > 70,7 mg/l/96h Pimephales P.

SODIUM CARBONATE

 LC50 - for Fish
 > 300 mg/l/96h

 EC50 - for Crustacea
 200 mg/l/48h

12.2. Persistence and degradability

Ethoxylated C16-18 alcohol

Rapidly degradable

Nuova Ricambi srl Dated 09/12/2022 Printed on 19/12/2022 **CLEAN EXPRESS PASTIGLIE** Page n. 11/16 Replaced revision:3 (Printed on: 24/07/2015)

SODIUM CARBONATE

Solubility in water 1000 - 10000 mg/l

Degradability: information not available

THE PRODUCT CONTAINS SUBSTANCES COMPLIANT WITH THE PRESCRIBED BY REG 648/04/CE

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

	Nuova Ricambi srl	Revision nr. 4 Dated 09/12/2022
	CLEAN EXPRESS PASTIGLIE	Printed on 19/12/2022
		Page n. 12/16 Replaced revision:3 (Printed on: 24/07/2015)
not applicable		
14.3. Transport hazard class(es)		
not applicable		
14.4. Packing group		
not applicable		
14.5. Environmental hazards		
not applicable		
14.6. Special precautions for user		
not applicable		
14.7. Maritime transport in bulk acco	rding to IMO instruments	
Information not relevant		
SECTION 15. Regulatory	information	
Composition (648/04/EC): inf. 5%: nonic	onic surfactants, polycarboxylates; 5-15%: phosphates; 15-30%: Oxygen-	-based whiteners.
15.1. Safety, health and environme	ental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/E	J: None	
Restrictions relating to the product or co	ontained substances pursuant to Annex XVII to EC Regulation 1907/2006	
None		
Regulation (EU) 2019/1148 - on the ma	rketing and use of explosives precursors	
not applicable		
Substances in Candidate List (Art. 59 R	EACH)	

Nuova Ricambi srl CLEAN EXPRESS PASTIGLIE Printed on 19/12/2022 Page n. 13/16 Revision nr. 4 Dated 09/12/2022 Printed on 19/12/2022 Page n. 13/16 Replaced revision: 3 (Printed on: 24/07/2015)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 3 Oxidising liquid, category 3

Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2Eye irritation, category 2H272May intensify fire; oxidiser.H302Harmful if swallowed.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- · CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

CLEAN EXPRESS PASTIGLIE

Revision nr. 4

Dated 09/12/2022

Printed on 19/12/2022

Page n. 14/16

Replaced revision:3 (Printed on: 24/07/2015)

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

CLEAN EXPRESS PASTIGLIE

Revision nr. 4

Dated 09/12/2022

Printed on 19/12/2022

Page n. 15/16

Replaced revision:3 (Printed on: 24/07/2015)

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum
	temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Use gloves and protective goggles. See sect. 8 for
equipment (PPE), health and hygiene evaluation	specifications. Staff must be trained appropriately in use
	and maintenance

GENERAL ADVICE

GENERAL ADVICE	
Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	8! *
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water.

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

Nuova Ricambi srl Revision nr. 4 Dated 09/12/2022 Printed on 19/12/2022 Page n. 16/16 Replaced revision:3 (Printed on: 24/07/2015)

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1)

Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washsing)

OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

GENERAL ADVICE

GENERAL ADVICE	
Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	8! **
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SU 22: Professional us	ses
------------------------	-----

PC 35: Washing and cleaning products (including solvent-based products)

PROC 2: Use in closed, continuous process with occasional controlled exposure

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum
	temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation	Use gloves and protective goggles. See sect. 8 for specifications. Staff must be trained appropriately in use
	and maintenance

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	\(\frac{\fin}}}}}}{\frac}\frac{\frac}\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac}\frac{\frac{\frac{\frac{\fracc}\firk}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water.

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1) Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washsing)
OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SII 22.	Professional uses	
JU 22.	ribicosibilal uses	

PC 35: Washing and cleaning products (including solvent-based products)

PROC 2: Use in closed, continuous process with occasional controlled exposure