Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 1/16 Replaced revision:3 (Printed on: 24/07/2015)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

CLEAN CAPPUCCINO

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use

Special detergent for cleaning the cappuccino maker.

1.3. Details of the supplier of the safety data sheet

Name Full address District and Country Nuova Ricambi srl Via dei Mille, 20 20061 Carugate (MI)

Italia

Tel. 02 9253205

e-mail address of the competent person

responsible for the Safety Data Sheet info@nuovaricambi.net

1.4. Emergency telephone number

For urgent inquiries refer to

Roma "

Osp. Pediatrico Bambino Gesù" DEA tel 06 68593726

Foggia Az. Osp. Univ. Foggia tel 800183459 Napoli Az. Osp. "A. Cardarelli" tel 081-5453333

CAV Policlinico "Umberto I" Roma tel 06-49978000 CAV Policlinico "A. Gemelli" Roma tel 06-3054343 Firenze Az. Osp. "Careggi" U.O. Toss. Medica tel 055-7947819 CAV C.Naz. Inf. Tossicologica tel 0382-24444 Pavia Milano Osp. Niguarda Ca' Granda tel 02-66101029 Bergamo Az. Osp. Papa Giovanni XXII tel 800883300 Verona Az. Ospedaliera Integrata Verona tel 800011858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and labeling: OECD 438: 2013

CLEAN CAPPUCCINO

Revision nr. 4

Dated 12/12/2022
Printed on 19/12/2022

Page n. 2/16

Replaced revision:3 (Printed on: 24/07/2015)

Hazard classification and indication:

Eye irritation, category 2

H319

Causes serious eye irritation.

The classification of the compound, featuring an extreme pH value, is based on the results of an appropriate in vitro test.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash thoroughly with water after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

Wear protective gloves / protective clothing / eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

TETRASODIO

ETILENDIAMMINOTETRACETATO

INDEX 607-428-00-2 3 ≤ x < 5 Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Eye Dam. 1 H318

EC 200-573-9 STA Oral: 500 mg/kg, STA Inhalation mists/powders: 1,5 mg/l

CLEAN CAPPUCCINO

Revision nr. 4

Dated 12/12/2022 Printed on 19/12/2022

Page n. 3/16

Replaced revision:3 (Printed on: 24/07/2015)

CAS 64-02-8

REACH Reg. 01-2119486762-27 Alcan C6-C8 (various numbers), 1sulphonic acid, sodium salt

INDEX $0 \le x < 5$ Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315

EC 939-625-7 LD50 Oral: >1550 mg/kg

CAS -

REACH Reg. 01-2119985168-23-

0000

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek lmedical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 4/16 Replaced revision:3 (Printed on: 24/07/2015)

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

DO NOT transfer into containers other than the original; risk of fatal exchange errors with food products.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

TETRASODIO ETILENDIAMMINOTETRACETATO

Predicted no-effect concentration - PNEC

CLEAN CAPPUCCINO

Revision nr. 4

Dated 12/12/2022

Printed on 19/12/2022

Page n. 5/16

Replaced revision:3 (Printed on: 24/07/2015)

Normal value in fresh water	2,2	mg/l
Normal value in marine water	0,22	mg/l
Normal value for water, intermittent release	1,2	mg/l
Normal value of STP microorganisms	43	mg/l
Normal value for the terrestrial compartment	0,72	mg/kg

Health - Derived no-effect I	evel - DNEL / D	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			25 mg/kg/d	25 mg/kg/d				
Inhalation	1,2 mg/m3	1,2 mg/m3	0,6 mg/m3	0,6 mg/m3	3 mg/m3	3 mg/m3	1,5 mg/m3	1,5 mg/m3

Alcan C6-C8 (various numbers), 1-sulphonic acid, sodium salt			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,1	mg/l	
Normal value in marine water	0,01	mg/l	
Normal value for fresh water sediment	1,109	mg/kg	
Normal value for marine water sediment	0,111	mg/kg	
Normal value for water, intermittent release	1	mg/l	
Normal value of STP microorganisms	31,3	mg/l	
Normal value for the terrestrial compartment	0,163	mg/kg	

ı	Health - Derived no-effect le	evel - DNEL / DI	MEL						
١		Effects on				Effects on			
١		consumers				workers			
١	Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
١					systemic		systemic		systemic
	Oral				2,15 mg/kg/d				
	Inhalation				7,48 mg/m3				30,32 mg/m3
١	Skin	•	•	•	215 mg/kg/d		•	VND	430 mg/kg/g

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 6/16 Replaced revision:3 (Printed on: 24/07/2015)

water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

	liquid	
Colour Odour	light blue characteristic	Remark:> 5 (Hazen) - 5% v/v
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not flammable	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 80 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH Kinematic viscosity	11,48 not available	Concentration: 5 %
Solubility Partition coefficient: n-octanol/water	soluble in water not available	Remark:> 99% p/p
Vapour pressure	not available	
Density and/or relative density	1,059 g/cm3	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 7/16 Replaced revision:3 (Printed on: 24/07/2015)

Conductivity 52000 μ siemens/cm VOC (Directive 2010/75/EU) 0,04 % - 0,40 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

TETRASODIO ETILENDIAMMINOTETRACETATO

EDTA 4Na: Can corrode light metals in the presence of water and humidity.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Revision nr. 4 Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 **CLEAN CAPPUCCINO** Page n. 8/16 Replaced revision:3 (Printed on: 24/07/2015) Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available ACUTE TOXICITY ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l ATE (Oral) of the mixture: >2000 mg/kg ATE (Dermal) of the mixture: Not classified (no significant component) TETRASODIO ETILENDIAMMINOTETRACETATO STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) > 1 mg/l/4h Ratto LC50 (Inhalation vapours): STA (Inhalation mists/powders): 1,5 mg/l (figure used for calculation of the acute toxicity estimate of the mixture) Alcan C6-C8 (various numbers), 1-sulphonic acid, sodium salt > 2000 mg/kg Ratto > 1550 mg/kg ratto LD50 (Dermal): LD50 (Oral): SKIN CORROSION / IRRITATION Does not meet the classification criteria for this hazard class SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 9/16 Replaced revision:3 (Printed on: 24/07/2015)

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

CLEAN CAPPUCCINO

Revision nr. 4

Dated 12/12/2022
Printed on 19/12/2022

Page n. 10/16

Replaced revision:3 (Printed on: 24/07/2015)

Alcan C6-C8 (various numbers), 1-sulphonic

acid, sodium salt

 LC50 - for Fish
 > 100 mg/l/96h

 EC50 - for Crustacea
 > 100 mg/l/48h

 Chronic NOEC for Algae / Aquatic Plants
 > 6,25 mg/l 72 ore.

TETRASODIO

ETILENDIAMMINOTETRACETATO

LC50 - for Fish > 100 mg/l/96h Lepomis m.

EC50 - for Algae / Aquatic Plants > 100 mg/l/72h Scenedesmus O.

Chronic NOEC for Fish > 36,9 mg/l Brachydagrio R.

12.2. Persistence and degradability

The product contains substances that meet the biodegradability requirements indicated by Reg 648/04/CE

12.3. Bioaccumulative potential

TETRASODIO ETILENDIAMMINOTETRACETATO

Accumulation in organisms: modest.

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

		T
	Nuova Ricambi srl	Revision nr. 4
		Dated 12/12/2022
		Printed on 19/12/2022
	CLEAN CAPPUCCINO	· · · · · · · · · · · · · · · · · · ·
		Page n. 11/16
		Replaced revision:3 (Printed on: 24/07/2015)
he product is not dangerous under cur	rent provisions of the Code of International Carriage of Dangerous Goods by F	Road (ADR) and by Rail (RID) of the
nternational Maritime Dangerous Good	s Code (IMDG), and of the International Air Transport Association (IATA) regu	lations.
-		
4.1. UN number or ID number		
ot applicable		
4.2. LIN proper chinning name		
4.2. UN proper shipping name		
ot applicable		
ot applicable		
4.3. Transport hazard class(es)		
ot applicable		
4.4. Packing group		
est applicable		
ot applicable		
4.5. Environmental hazards		
ot applicable		
4.6. Special precautions for user		
ot applicable		
4.7. Maritime transport in bulk accord	rding to IMO instruments	
martine transport in bulk acco	and to the monuments	
nformation not relevant		
SECTION 15. Regulatory	information	

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 12/16 Replaced revision:3 (Printed on: 24/07/2015)

Composition (648/04/EC): inf. 5%: phosphonates, anionic surfactants, nonionic surfactants; 5%-15%: EDTA.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the product

SECTION 16. Other information

CLEAN CAPPUCCINO

Revision nr. 4

Dated 12/12/2022 Printed on 19/12/2022

Page n. 13/16

Replaced revision:3 (Printed on: 24/07/2015)

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Eve Dam. 1 Serious eye damage, category 1 Eve Irrit. 2 Eye irritation, category 2 Skin Irrit. 2 Skin irritation, category 2 H302 Harmful if swallowed

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H315 Causes skin irritation.

LEGEND:

H332

ADR: European Agreement concerning the carriage of Dangerous goods by Road

Harmful if inhaled.

- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- . Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament

Revision nr. 4 Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 **CLEAN CAPPUCCINO** Page n. 14/16 Replaced revision:3 (Printed on: 24/07/2015)

- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP) 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- **FCHA** website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 04 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 15/16 Replaced revision:3 (Printed on: 24/07/2015)

Dilute if required with tap water at a maximum temperature of 45 °C.

Local exhaust ventilation (LEV) is not required; generally efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation

Use gloves and protective goggles. See sect. 8 for specifications. Staff must be trained appropriately in use and maintenance



GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water. PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

Nuova Ricambi srl Dated 12/12/2022 Printed on 19/12/2022 Page n. 16/16 Replaced revision:3 (Printed on: 24/07/2015)

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1)

Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washsing)

OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	\$! \(\)
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

CITA	D C ' 1	
SUIJI	Professional	lises

PC 35: Washing and cleaning products (including solvent-based products)

PROC 2: Use in closed, continuous process with occasional controlled exposure

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum
	temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation	Use gloves and protective goggles. See sect. 8 for specifications. Staff must be trained appropriately in use
	and maintenance

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	Ž! ()
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water.

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1) Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washsing)
OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water

PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SII 22.	Professional uses	
JU 22.	ribicosibilal uses	

PC 35: Washing and cleaning products (including solvent-based products)

PROC 2: Use in closed, continuous process with occasional controlled exposure