	Muratti Araele eri	Version no. 3
	Murotti Angelo srl	
		Revision date 24/07/2015
		Printed on 24/07/2015
	ASCOR DC	Page no. 1/12
		, , , , , , , , , , , , , , , , , , ,
	Safety Data Sheet	
SECTION 1. Identification	of the substance/mixture and the company/	/undertaking
1.1. Product identification		
Name	ASCOR DC	
	substance or mixture and uses advised against	
Description/Use Not a	vailable	
1.3. Details of the supplier of the s	-	
Company name Address	Murotti Angelo srl Via Caduti di Sabbiuno, 69	
City and Country 40053 Loc. Bazzano- VALSAMOGGIA (BO)		
Italia tel. 051 832255		
	fax 051 832956	
e-mail of the competent person,		
person responsible for the safety data sheet murotti.ascor@libero.net		
1.4. Emergency telephone number		
For urgent information contact	Poison Center: 02/66101029- Company head	dquarters: tel 051/832255
SECTION 2. Hazards ider	tification	
2.1. Classification of the substance	e or mixture.	
he product is classified as hazardous	pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (a	and amendments). Therefore the product requires
safety data sheet according to the pro-	ovisions of Regulation (EC) 1907/2006 and subsequent amendme nvironmental hazards can be found in sections 11 and 12 of this s	ents.
Classification and hazard statements:		
Eye irritant, category 2	H319 Causes serious	s eye milalion.
2.2. Labeling elements.		
Danger identification pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments.		
$\langle ! \rangle$		
\mathbf{V}		

\/\/a	rnings:
vva	mings.

Warning

$\mathbf{\delta}$	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 2/12

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash thoroughly with water after handling.
P280	Wear eye and face protection.
P305+P351+P338	IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue
	rinsing.
P337+P313	If eye irritation persists, get medical advice.

2.3. Other hazards.

According to the available data, the product does not contain PBT or vPvB substances in a percentage higher than 0.1%.

SECTION 3. Ingredients/composition information.

3.1. Substances.

Information non applicable.

3.2. Mixtures.

Contains:

Identification.	Conc. %.	Classification 1272/2008 (CLP).
CITRIC ACID		
CAS. 5949-29-1	80 - 100	Eye Irrit. 2 H319
EC. 201-069-1		
INDEX		
Nr. Reg. 01-2119457026-42		

Note: Upper range value excluded.

The full text of the hazard statements (H) is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if worn. Immediately flush eyes with plenty of water for at least 15 minutes while keeping eyelids raised. Get medical advice if the problem persists.

SKIN: Remove any contaminated clothing. Wash immediately with plenty of water. If the irritation persists, get medical advice. Wash any contaminated clothing prior to using again.

INHALATION: Take the person outside. If they have difficulty breathing, seek medical advice immediately.

INGESTION: Seek medical advice immediately. Induce vomiting only if directed to do so by the doctor. Never give anything by mouth to an unconscious person or unless authorized by a doctor.



Version no. 3

Revision date 24/07/2015

Printed on 24/07/2015

ASCOR DC

Page no. 3/12

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures

5.1. Extinguishing media.

APPROPRIATE EXTINGUISHING MEDIA Use conventional extinction equipment: carbon dioxide, foam, powder and nebulized water. INAPPROPRIATE EXTINGUISHING MEDIA None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Avoid inhaling any combustion products. The product is combustible, and when the powders are dispersed in the air in sufficient concentrations and in the presence of a source of ignition, it may create an explosive mixture with the air. The fire may spread or be further fueled by any solids leaking from the container when it reaches a high temperature or due to contact with the source of ignition.

5.3. Advice for firefighters.

GENERAL INFORMATION

Cool the containers with jets of water to prevent product decomposition and the development of substances that are potentially hazardous for the health. Always wear full fire protection equipment. Collect all water used to extinguish the fire; this must not be drained into the mains sewer. Dispose of contaminated water used to extinguish the fire and other fire residues in compliance with the laws in force. EQUIPMENT

Normal firefighting clothing, such as self-contained, open-circuit compressed air breathing apparatus (EN 137), flameproof suit (EN469), flameproof gloves (EN 659) and Fire Brigade boots (HO A29 or A30).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid the formation of dust by spraying the product with water if there are no contraindications. Avoid breathing vapors/mists/gas. Wear appropriate protection devices (including personal protective equipment as listed in section 8 of the safety data sheet) to prevent contamination of skin, eyes and personal clothing. These indications are valid for both workers during handling and emergency interventions.

6.2. Environmental precautions

Do not allow the product to penetrate into sewers, surface and ground waters.

0	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 4/12

6.3. Methods and material for containment and cleaning up

Use mechanical spark-proof means to collect the leaked product and place in containers for recycling or disposal. Eliminate residues with a jet of water if there are no contra-indications.

Make sure that the leakage site is well aired. Check any incompatibility of the materials with the containers in section 7. Contaminated material must be disposed of in compliance with the provisions laid down in point 13.

6.4. Reference to other sections

Any information concerning personal protection and disposal are given in sections 8 and 13.

SECTION 7. Handling and storage

Warning: DO NOT store in containers other than the original one; risk of fatal errors if exchanged for foodstuffs.

7.1. Precautions for safety handling

Consult all sections of this safety data sheet before handling the product. Avoid release to the environment. Do not eat, drink or smoke during use. Remove any contaminated clothing and protective equipment before entering any areas where food is consumed.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the closed containers in a well-ventilated place away from direct sunlight. Keep the containers away from any incompatible materials, check section 10.

The product is hygroscopic, do not expose to humidity; after re-powderisation it does not lose its properties.

7.3. Specific end use(s)

Information not available.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

CITRIC ACID

Predicted no effect concentration in the environment - PNEC.

Reference value for sediment in fresh water

Key:

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NHI = no hazard identified.

In the risk assessment process, it is recommended to consider the professional exposure limit values laid down by the ACGIH for inert particulates not otherwise classified (PNOC respirable fraction: 3 mg/mc; PNOC inhalable fraction: 10 mg/m3). If these limits are exceeded, it is recommended to use a P type filter, the class (1, 2 or 3) of which must be chosen according to the result of the risk assessment.

34.6

mg/kg

	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 5/12

8.2. Exposure controls

Considering that the use of appropriate technical measures should always take priority over personal protective equipment, ensure that the working environment is well ventilated using a local aspiration system. Personal protective equipment must carry the CE marking to certify conformity to the regulations in force.

Provide emergency eye wash and shower facilities.

HAND PROTECTION

In the case of foreseen prolonged contact with the product, it is recommended to protect the hands with penetration-resistant work gloves (ref. standard EN 374).

In choosing the material of the work gloves, the handling process of the product and any other derivate products must also be assessed. Also consider that latex gloves may cause allergic reactions.

SKIN PROTECTION

Wear category I professional work clothes with long sleeves and safety footwear (ref. Directive 89/686/EEC and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

EYE PROTECTION

It is recommended to wear protective airtight goggles (ref. standard EN 166).

RESPIRATORY PROTECTION

It is recommended to use a P type filter face mask (ref. standard EN 149), or equivalent device, the class (1, 2 or 3) and effective need of which must be defined according to the result of the risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

Production process emissions, including those from ventilation equipment, must be checked in order to comply with environmental protection regulations.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Murotti Angelo srl	Version no. 3
	-	
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015 Page no. 6/12
9.2. Other information		
VOC (Directive 1999/13/EC):	0	
VOC (volatile carbon):	0	
SECTION 10. Stability and	d reactivity	
10.1. Reactivity		
There are no particular risks of reactior	n with other substances in normal conditions of use.	
10.2. Chemical stability		
The product is stable in normal condition	ons of use and storage.	
10.3. Possibility of hazardous reac	tions	
No hazardous reactions are foreseeabl	e in normal conditions of use and storage.	
10.4. Conditions to avoid		
Nana in particular. However take all the	a usual processions adopted when handling chemicals	
	e usual precautions adopted when handling chemicals.	
10.5. Incompatible materials		
Information not available.		
10.6. Hazardous decomposition pr	oducts	
Information not available.		
SECTION 11. Toxicologic	al information	
11.1. Information on toxicological	effects	
	s available for the product, any health hazards have been assessed	according to the properties of the contained
	s available for the product, any freatth fiazards flave been assessed	

substances, in line with the criteria laid down in the reference regulations for the classification. Therefore consider the concentration of any single hazardous substances referred to in sect. 3, to assess the toxicological effects deriving from exposure to the product. Acute effects: contact with eyes causes irritation; symptoms may include: reddening, oedema, pain and lacrimation. Ingestion can cause health problems, including abdominal pain, heartburn, nausea and vomiting.

$\mathbf{\delta}$	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 7/12

CITRIC ACID LD50 (Oral).> 5000 mg/kg Mouse

SECTION 12. Ecological information

Use this product according to good working practices; do not litter. Inform the competent authorities if the product reaches waterways or sewers or if it contaminates soil or vegetation.

12.1. Toxicity

CITRIC ACID EC50 - Crustaceans.

> 440 mg/l/48h Leuciscus I.

12.2. Persistence and degradability

Information not available.

12.3. Bioaccumulative potential

Information not available.

12.4. Mobility in the soil

Information not available.

12.5. Results of PBT and vPvB assessment

According to the available data, the product does not contain PBT or vPvB substances in a percentage higher than 0.1%.

12.6. Other adverse effects

Information not available.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, if possible. Product residues are considered special hazardous waste. The hazard level of the waste which partially contains this product must be assessed according to the legal provisions in force.

The product must be disposed of by an authorized waste management company, in compliance with the national and any local laws. CONTAMINATED PACKAGING

Contaminated packaging must be sent for recycling or disposal in compliance with the national waste management laws.

SECTION 14. Transport information

14.1. UN number.

	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 8/12
Not applicable.		
14.2. UN shipping number.		
Not applicable.		
14.3. Transport hazard classes.		
Not applicable.		
14.4. Packing group.		
NI / P 11		
Not applicable.		
14.5. Environmental hazards.		
Not applicable.		
14.6. Special precautions for users.		
Not applicable.		
14.7 Bulk transport according to on	nex II of MARPOL 73/78 and the IBC code.	
THAT ACCOLUTING (0 and		
Information non applicable.		
SECTION 15. Regulatory	information	
15.1. Sofoty health and anyiranma	ntel regulations/logiclation apositio for the substance or mixture	
is. I. Salety, nearth and environme	ntal regulations/legislation specific for the substance or mixture	
Seveso category.	None.	
Restrictions to the product or the subst	ances contained therein according to Annex XVII Regulation (EC) 1907/	<u>/2006.</u>
None.		

õ	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 9/12

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorization (Annex XIV REACH).

None.

Substances subject to export notification Reg. (EC) 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Health controls.

Workers exposed to this hazardous chemical agent must have their health monitored in accordance with the provisions of art. 41 of Italian Law (D.Lgs.) 81 of 9 April 2008 unless the worker's health and safety risk is deemed to be irrelevant, according to the provisions of art. 224 par. 2.

15.2. Chemical safety assessment

No chemical safety assessment was drawn up for the mixture or the substances contained therein.

SECTION 16. Other information

Hazard statements (H) referred to in sections 2-3 of the sheet:

Eye Irrit. 2 Eye irritant, category 2 H319 Causes serious eye irritation.

KEY:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Half maximal effective concentration in the tested population
- EC NUMBER: Identification number in ESIS (European Chemical Substances Information System)
- CLP: Regulation (EC) 1272/2008 DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals
- IATA DGR: Dangerous Goods Regulations of the International Air Transport Association
- IC50: Half maximal inhibitory concentration in the tested population
- IMDG: International Maritime Dangerous Goods Code
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in Annex VI of the CLP
- LC50: Lethal concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational exposure level
- PBT: Persistent Bioaccumulative and Toxic according to REACH
- PEC: Predicted environmental concentration

	Murotti Angelo srl	Version no. 3
		Revision date 24/07/2015
	ASCOR DC	Printed on 24/07/2015
		Page no. 10/12
 PEL: Predicted exposure level PNEC: Predicted no effect concentration REACH: Regulation (EC) 1907/2006 RID: Regulation concerning the International Carriage of Dangerous Goods by Rail TLV: Threshold Limit Value TLV CEILING: Absolute exposure limit that should not be exceeded at any time. TWA STEL: Spot exposure limit TWA: Time weighted average exposure VOC: Volatile organic compound vPvB: Very Persistent and very Bio-accumulative according to REACH WGK: Water hazard class (Germany). 		
GENERAL REFERENCES: 1. Regulation (EU) 1907/2006 of the European Parliament (REACH) 2. Regulation (EU) 1272/2008 of the European Parliament (CLP) 3. Regulation (EU) 700/2009 of the European Parliament (I Atp.) CLP) 4. Regulation (EU) 215/330 of the European Parliament (II Atp.) CLP) 6. Regulation (EU) 286/2011 of the European Parliament (II Atp.) CLP) 7. Regulation (EU) 618/2012 of the European Parliament (III Atp.) CLP) 7. Regulation (EU) 618/2012 of the European Parliament (III Atp.) CLP) 8. Regulation (EU) 944/2013 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 944/2013 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 944/2013 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 944/2013 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 945/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (EU) 905/2014 of the European Parliament (EU) 905/2014 of the European Parliament (V Atp.) CLP) 9. Regulation (EU) 905/2014 of the European Parliament (EU) 905/2014 of the European Parliament (EU) 905/2014 of the European Parl		
Amendments compared to the previous version. Modifications have been made to the following sections: 01 / 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 14 / 15 / 16.		

Murotti Angelo srl

Version no. 3

Revision date 24/07/2015

ASCOR DC

Printed on 24/07/2015 Page no. 11/12

APPENDIX: EXPOSURE SCENARIOS - No.1

PHASE: TRANSFER OF THE PROFESSIONAL PRODUCT INTO CONTAINER (BUCKET/MACHINE)

(ref AISE GEIS.8a .1.a.v1)- Open transfer of a concentrated product (with or without diluting); the worker is directly exposed to the product.

OPERATING CONDITIONS

Maximum duration	50 minutes/day
Process conditions	Process performed at room temperature
	Dilute if required with tap water at a maximum
	temperature of 45 °C.
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective equipment (PPE), health and hygiene evaluation	Use gloves and protective goggles. See sect. 8 for specifications. Staff must be trained appropriately in use
	and maintenance

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect.
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water. PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORSSU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at nondedicated facilities

ERC 8a: Wide dispersive indoor use of processing aids in open systems

Murotti Angelo srl

Version no. 3

Revision date 24/07/2015

ASCOR DC

Printed on 24/07/2015 Page no. 12/12

APPENDIX: EXPOSURE SCENARIOS - No. 4

PHASE: USING A PROFESSIONAL PRODUCT IN A SEMI CLOSED SYSTEM (ref AISE GEIS 2.1.a.V1) Using a product in a machine where the worker could be exposed to the product/vapors

(e.g.: Tunnel washsing)

OPERATING CONDITIONS

Maximum duration	480 minutes/day
Process conditions	Process performed at room temperature
	Local exhaust ventilation (LEV) is not required; generally
	efficient ventilation in the work place is sufficient

RISK MANAGEMENT MEASURES

Conditions and measures concerning personal protective	Personal protective equipment is not required.
equipment (PPE), health and hygiene evaluation	

GENERAL ADVICE

Do not eat, drink, smoke or use live flames	
Wash hands after use. Avoid contact with damaged skin Do not mix with other products	
Leakage instructions	Dilute with water and collect
Additional advice	Follow the instructions on the label, the technical sheet and the SDS in sect. 7.

ENVIRONMENTAL MEASURES: Prevent the non-diluted product from reaching surface water PRODUCT COMPOSITION PROPERTIES

The classification of the concentrated product can be found on the label and in sect. 2 of the SDS

The product classification is based on the ingredient classification. The list of ingredients contributing to the product classification can be found in sect. 3 of the SDS.

The exposure evaluation is based on the key limit values of the ingredients indicated in sect. 8 of the SDS

The product may contain sensitizing components which may cause an allergic reaction in some people. Sect. 15 of the SDS lists these sensitizing components, where applicable to the product.

USE DESCRIPTORS

SU 22: Professional uses

PC 35: Washing and cleaning products (including solvent-based products)

PROC 2: Use in closed, continuous process with occasional controlled exposure

ERC 8a: Wide dispersive indoor use of processing aids in open systems